

**Evaluation tools for conducting attestation
in the discipline "Clinical and functional research methods in orthodontics"
for students of the year 2021 admission
by educational program
31.05.03 Dentistry,
profile Dentistry
(specialty)
form of study full-time
for the 2025-2026 academic year**

4.1. Evaluation tools for conducting current certification in the discipline

Current certification includes the following types of tasks: testing, solving situational problems, evaluating the development of practical skills, and interviewing control questions.

4.1.1. Examples of test tasks.

Verifiable indicators of competence achievement: CC-1.2.1; CC-1.2.2, CC-1.2.3, OPK-12.1.3, OPK-13.1.2, PC-1.1.3, PC-1.1.4, PC-2.1.1, PC-2.1.2, PC-2.1.3

1. The disadvantage of performing occlusiography using carbon paper?

- 1) Low information content
- 2) Copy paper gets wet in the mouth
- 3) High speed of conducting
- 4) options 1 and 2

2. Is it possible to use the load cell repeatedly in one patient?

- 1) Yes, it is possible.
- 2) No, it is not possible.

3. Advantage of the T-Scan III system?

- 1) The ability to measure time-adjusted effort to assess dynamic occlusion directly in the patient's oral cavity.
- 2) The need for special software.
- 3) High cost of equipment.
- 4) The ability to store data in electronic and printed form.

4. What impression materials can be used to register occlusal contacts?

- 1) Alginate mass

- 2) Thiocol mass
- 3) Silicone masses
- 4) Thermoplastics

5. Occlusiography is

- 1) Spee curvature determination method
- 2) Method of detection and registration of occlusal contacts
- 3) Method for determining the effectiveness of chewing
- 4) Method for identifying supracontacts

6. Lack of occlusiography using base wax?

- 1) The possibility of getting a burn by the patient.
- 2) Complexity of the procedure
- 3) The wax plate is deformed when removed from the oral cavity

7. What color is the strongest contact displayed in T-Scan III?

- 1) Yellow
- 2) Blue
- 3) Red
- 4) Green

8. What does T-Scan III include?

- 1) Load cell and software
- 2) Load cell and ootic mass
- 3) Software, load cell and wax plate
- 4) A load cell located on the supporting device, a scheme for removing and processing signals from the load cell, as well as software, a load cell holder.

9. What anomalies of dentition are observed in the sagittal direction:

- 1) Shortening and lengthening
- 2) Expansion
- 3) Elongation and contraction
- 4) Dental alveolar shortening

10. What causes a short tongue bridle

- 1) To protrusion of incisors
- 2) To diastema
- 3) To injuries
- 4) To retrusion of the frontal group of teeth

4.1.2. Examples of situational tasks.

Verifiable indicators of competence achievement: UK-1.3.1, UK-1.3.2, UK-2.2.1, UK-2.2.2, UK-2.2.3, UK-2.2.4, UK-2.2.5, UK-2.3.1, UK-2.3.2, UK-2.3.3, UK-11.3.1, UK-11.3.2, OPK-1.2.1, OPK-1.2.2, OPK-1.2.3, OPK-6.3.1, OPK-6.3.2, OPK-6.3.3, OPK-5.2.1, OPK-5.2.2, OPK-5.2.3, OPK-5.2.4, OPK-8.3.1, OPK-9.2.1, OPK-12.2.1, OPK-12.2.2, OPK-12.2.3, PC-1.2.1, PC-1.2.2, PC-2.2.1, PC-2.2.2, PC-2.2.3, PC-2.3.1, PC-2.3.2, PC-2.3.3, PC-4.2.1, PC-4.2.2, PC-4.2.3, PC-4.3.1, PC-4.3.2, PC-4.3.3.

Task #1

The clinic was contacted by the parents of an 11-year-old patient with complaints about the incorrect position of the teeth.

Anamnesis: at the age of 5.5 years, an injury to the maxillofacial region was received, dislocation of 11, 12 teeth was driven in, and splinting of these teeth was performed. No orthodontic treatment was performed.

Objectively: occlusion anomaly of Engle class II, protrusion of the frontal group of maxillary teeth. Sagittal gap – 6 mm. The 11 tooth is discolored, the root is not formed, mobility of the third degree, the mucous membrane in the 11 tooth area is hyperemic, edematous. 12 – rotation around the axis by 180°, vestibular position of the 13th tooth, 14-vestibular position, supraposition; retention of 35, 45 teeth. Crowded position of the frontal group of mandibular teeth.

Formulate a diagnosis and make an orthodontic treatment plan.

Task # 2

The parents of a 9-year-old patient complained to the children's dental clinic about an aesthetic defect.

Facial examination: the upper jaw is shifted forward. Pronounced chin crease. The lower lip is turned outwards.

Examination of the oral cavity: protrusion of the frontal group of teeth. Canines in the teething stage. Lingual tilt 35.

The front teeth of the upper and lower jaw are in a state of dysocclusion. Sagittal gap сагиттали5 mm.

Make a diagnosis. Make a treatment plan.

4.1.3. Examples of tasks for assessing the development of practical skills.

Verifiable indicators of competence achievement: UK-1.3.1, UK-1.3.2, UK-2.2.1, UK-2.2.2, UK-2.2.3, UK-2.2.4, UK-2.2.5, UK-2.3.1, UK-2.3.2, UK-2.3.3, UK-11.3.1, UK-11.3.2, ОПК-1.2.1, ОПК-1.2.2, ОПК-1.2.3, ОПК-6.3.1, ОПК-6.3.2, ОПК-6.3.3, ОПК-5.2.1, ОПК-5.2.2, ОПК-5.2.3, ОПК-5.2.4, ОПК-8.3.1, ОПК-9.2.1, ОПК-12.2.1, ОПК-12.2.2, ОПК-12.2.3, PC-1.2.1, PC-1.2.2, PC-2.2.1, PC-2.2.2, PC-2.2.3, PC-2.3.1, PC-2.3.2, PC-2.3.3, PC-4.2.1, PC-4.2.2, PC-4.2.3, PC-4.3.1, PC-4.3.2, PC-4.3.3.

1. Situational role-playing game.

Example:

Distribution of roles among students of the study group:

A-patient

B-doctor

B – nurse

G-expert

Task: prepare and stage a patient's examination, perform occlusiography using carbon paper and a plate of base wax.

1. Situational role-playing game.

Example:

Distribution of roles among students of the study group:

A-patient

B-doctor

B – nurse

G-expert

Task: prepare and stage a patient's examination, determine indications for selective polishing.

4.1.5. Examples of control questions for the interview.

Verifiable indicators of competence achievement: CC-1.2.1; CC-1.2.2, CC-1.2.3, OPK-12.1.3, OPK-13.1.2, PC-1.1.3, PC-1.1.4, PC-2.1.1, PC-2.1.2, PC-2.1.3

1. Definition of the concept of occlusiography.
2. Transfer funds for performing occlusiography.
3. Types of occlusiography.
4. Possibilities of computerized occlusion analysis T-Scan III.

4.2. Evaluation tools for conducting intermediate certification in the discipline

Intermediate certification is carried out in the form of a test.

Intermediate certification includes the following types of tasks: interview.

4.2.1. List of interview questions

#	Questions for intermediate certification	Verifiable indicators of competence achievement
1.	Registration of medical documentation for an orthodontic patient.	UK-1.2.1., UK-1.2.2., UK-1.2.3., UK-1.3.1., UK-1.3.2., UK-2.2.1., UK-2.2.2., UK-2.2.3., UK-2.2.4., UK-2.2.5., UK-2.3.1., UK-2.3.2., UK-2.3.3., UK-11.3.1., UK-11.3.2., OPK-1.2.1., OPK-1.2.2., OPK-1.2.3., OPK-5.2.1., OPK-5.2.2., OPK-5.2.3., OPK-5.2.4., OPK-6.3.1. OPK-6.3.2., OPK-6.3.3., OPK-8.3.1., OPK-9.2.1., OPK-12.1.3., OPK-12.2.1., OPK-12.2.2., OPK-12.2.3., OPK-13.1.2., PC-1.1.3., PC-1.1.4., PC-1.2.1., PC-1.2.2., PC-2.1.1., PC-2.1.2., PC-2.1.3., PC-2.2.1., PC-2.2.2., PC-2.2.3., PC-2.3.1., PC-2.3.2., PC-2.3.3., PC-4.2.1., PC-4.2.2., PC-4.2.3., PC-4.3.1., PC-4.3.2., PC-4.3.3.
2.	Features of external examination of patients in the orthodontics clinic.	UK-1.2.1., UK-1.2.2., UK-1.2.3., UK-1.3.1., UK-1.3.2., UK-2.2.1., UK-2.2.2., UK-2.2.3., UK-2.2.4., UK-2.2.5., UK-2.3.1., UK-2.3.2., UK-2.3.3., UK-11.3.1., UK-11.3.2., OPK-1.2.1., OPK-1.2.2., OPK-1.2.3., OPK-5.2.1., OPK-5.2.2., OPK-5.2.3., OPK-5.2.4., OPK-6.3.1. OPK-6.3.2., OPK-6.3.3., OPK-8.3.1., OPK-9.2.1., OPK-12.1.3., OPK-12.2.1., OPK-12.2.2., OPK-12.2.3., OPK-13.1.2., PC-1.1.3., PC-1.1.4., PC-1.2.1., PC-1.2.2., PC-2.1.1., PC-2.1.2., PC-2.1.3., PC-2.2.1., PC-2.2.2., PC-2.2.3., PC-2.3.1., PC-2.3.2., PC-2.3.3., PC-4.2.1., PC-4.2.2., PC-4.2.3., PC-4.3.1., PC-4.3.2., PC-4.3.3.
3.	Features of conducting a photo protocol in an orthodontic clinic.	UK-1.2.1., UK-1.2.2., UK-1.2.3., UK-1.3.1., UK-1.3.2., UK-2.2.1., UK-2.2.2., UK-2.2.3., UK-2.2.4., UK-2.2.5., UK-2.3.1., UK-2.3.2., UK-2.3.3., UK-11.3.1., UK-11.3.2., OPK-1.2.1., OPK-1.2.2., OPK-1.2.3., OPK-5.2.1., OPK-

		5.2.2., OPK-5.2.3., OPK-5.2.4., OPK-6.3.1. OPK-6.3.2., OPK-6.3.3., OPK-8.3.1., OPK-9.2.1., OPK-12.1.3., OPK-12.2.1., OPK-12.2.2., OPK-12.2.3., OPK-13.1.2., PC-1.1.3., PC-1.1.4., PC-1.2.1., PC-1.2.2., PC-2.1.1., PC-2.1.2., PC-2.1.3., PC-2.2.1., PC-2.2.2., PC-2.2.3., PC-2.3.1., PC-2.3.2., PC-2.3.3., PC-4.2.1., PC-4.2.2., PC-4.2.3., PC-4.3.1., PC-4.3.2., PC-4.3.3.
4.	Clinical and functional tests used in the diagnosis of ASD:	UK-1.2.1., UK-1.2.2., UK-1.2.3., UK-1.3.1., UK-1.3.2., UK-2.2.1., UK-2.2.2., UK-2.2.3., UK-2.2.4., UK-2.2.5., UK-2.3.1., UK-2.3.2., UK-2.3.3., UK-11.3.1., UK-11.3.2., OPK-1.2.1., OPK-1.2.2., OPK-1.2.3., OPK-5.2.1., OPK-5.2.2., OPK-5.2.3., OPK-5.2.4., OPK-6.3.1. OPK-6.3.2., OPK-6.3.3., OPK-8.3.1., OPK-9.2.1., OPK-12.1.3., OPK-12.2.1., OPK-12.2.2., OPK-12.2.3., OPK-13.1.2., PC-1.1.3., PC-1.1.4., PC-1.2.1., PC-1.2.2., PC-2.1.1., PC-2.1.2., PC-2.1.3., PC-2.2.1., PC-2.2.2., PC-2.2.3., PC-2.3.1., PC-2.3.2., PC-2.3.3., PC-4.2.1., PC-4.2.2., PC-4.2.3., PC-4.3.1., PC-4.3.2., PC-4.3.3.
5.	Modern methods of digital diagnostics used in orthodontics.	UK-1.2.1., UK-1.2.2., UK-1.2.3., UK-1.3.1., UK-1.3.2., UK-2.2.1., UK-2.2.2., UK-2.2.3., UK-2.2.4., UK-2.2.5., UK-2.3.1., UK-2.3.2., UK-2.3.3., UK-11.3.1., UK-11.3.2., OPK-1.2.1., OPK-1.2.2., OPK-1.2.3., OPK-5.2.1., OPK-5.2.2., OPK-5.2.3., OPK-5.2.4., OPK-6.3.1. OPK-6.3.2., OPK-6.3.3., OPK-8.3.1., OPK-9.2.1., OPK-12.1.3., OPK-12.2.1., OPK-12.2.2., OPK-12.2.3., OPK-13.1.2., PC-1.1.3., PC-1.1.4., PC-1.2.1., PC-1.2.2., PC-2.1.1., PC-2.1.2., PC-2.1.3., PC-2.2.1., PC-2.2.2., PC-2.2.3., PC-2.3.1., PC-2.3.2., PC-2.3.3., PC-4.2.1., PC-4.2.2., PC-4.2.3., PC-4.3.1., PC-4.3.2., PC-4.3.3.
6.	Use of intraoral scanners in an orthodontic clinic.	UK-1.2.1., UK-1.2.2., UK-1.2.3., UK-1.3.1., UK-1.3.2., UK-2.2.1., UK-2.2.2., UK-2.2.3., UK-2.2.4., UK-2.2.5., UK-2.3.1., UK-2.3.2., UK-2.3.3., UK-11.3.1., UK-11.3.2., OPK-1.2.1., OPK-1.2.2., OPK-1.2.3., OPK-5.2.1., OPK-5.2.2., OPK-5.2.3., OPK-5.2.4., OPK-6.3.1. OPK-6.3.2., OPK-6.3.3., OPK-8.3.1., OPK-9.2.1., OPK-12.1.3., OPK-12.2.1., OPK-12.2.2., OPK-12.2.3., OPK-13.1.2., PC-1.1.3., PC-1.1.4., PC-1.2.1., PC-1.2.2., PC-2.1.1., PC-2.1.2., PC-2.1.3., PC-2.2.1., PC-2.2.2., PC-2.2.3., PC-2.3.1., PC-2.3.2., PC-2.3.3., PC-4.2.1., PC-4.2.2., PC-4.2.3., PC-4.3.1., PC-4.3.2., PC-4.3.3.
7.	Using facial scanners in an orthodontic clinic.	UK-1.2.1., UK-1.2.2., UK-1.2.3., UK-1.3.1., UK-1.3.2., UK-2.2.1., UK-2.2.2., UK-2.2.3., UK-2.2.4., UK-2.2.5., UK-2.3.1., UK-2.3.2., UK-2.3.3., UK-11.3.1., UK-11.3.2., OPK-1.2.1., OPK-1.2.2., OPK-1.2.3., OPK-5.2.1., OPK-

		5.2.2., OPK-5.2.3., OPK-5.2.4., OPK-6.3.1. OPK-6.3.2., OPK-6.3.3., OPK-8.3.1., OPK-9.2.1., OPK-12.1.3., OPK-12.2.1., OPK-12.2.2., OPK-12.2.3., OPK-13.1.2., PC-1.1.3., PC-1.1.4., PC-1.2.1., PC-1.2.2., PC-2.1.1., PC-2.1.2., PC-2.1.3., PC-2.2.1., PC-2.2.2., PC-2.2.3., PC-2.3.1., PC-2.3.2., PC-2.3.3., PC-4.2.1., PC-4.2.2., PC-4.2.3., PC-4.3.1., PC-4.3.2., PC-4.3.3.
8.	Graphical diagnostic methods.	UK-1.2.1., UK-1.2.2., UK-1.2.3., UK-1.3.1., UK-1.3.2., UK-2.2.1., UK-2.2.2., UK-2.2.3., UK-2.2.4., UK-2.2.5., UK-2.3.1., UK-2.3.2., UK-2.3.3., UK-11.3.1., UK-11.3.2., OPK-1.2.1., OPK-1.2.2., OPK-1.2.3., OPK-5.2.1., OPK-5.2.2., OPK-5.2.3., OPK-5.2.4., OPK-6.3.1. OPK-6.3.2., OPK-6.3.3., OPK-8.3.1., OPK-9.2.1., OPK-12.1.3., OPK-12.2.1., OPK-12.2.2., OPK-12.2.3., OPK-13.1.2., PC-1.1.3., PC-1.1.4., PC-1.2.1., PC-1.2.2., PC-2.1.1., PC-2.1.2., PC-2.1.3., PC-2.2.1., PC-2.2.2., PC-2.2.3., PC-2.3.1., PC-2.3.2., PC-2.3.3., PC-4.2.1., PC-4.2.2., PC-4.2.3., PC-4.3.1., PC-4.3.2., PC-4.3.3.
9.	Postural analysis of patients.	UK-1.2.1., UK-1.2.2., UK-1.2.3., UK-1.3.1., UK-1.3.2., UK-2.2.1., UK-2.2.2., UK-2.2.3., UK-2.2.4., UK-2.2.5., UK-2.3.1., UK-2.3.2., UK-2.3.3., UK-11.3.1., UK-11.3.2., OPK-1.2.1., OPK-1.2.2., OPK-1.2.3., OPK-5.2.1., OPK-5.2.2., OPK-5.2.3., OPK-5.2.4., OPK-6.3.1. OPK-6.3.2., OPK-6.3.3., OPK-8.3.1., OPK-9.2.1., OPK-12.1.3., OPK-12.2.1., OPK-12.2.2., OPK-12.2.3., OPK-13.1.2., PC-1.1.3., PC-1.1.4., PC-1.2.1., PC-1.2.2., PC-2.1.1., PC-2.1.2., PC-2.1.3., PC-2.2.1., PC-2.2.2., PC-2.2.3., PC-2.3.1., PC-2.3.2., PC-2.3.3., PC-4.2.1., PC-4.2.2., PC-4.2.3., PC-4.3.1., PC-4.3.2., PC-4.3.3.
10.	Methods of studying the condition of the muscles of the CHLO.	UK-1.2.1., UK-1.2.2., UK-1.2.3., UK-1.3.1., UK-1.3.2., UK-2.2.1., UK-2.2.2., UK-2.2.3., UK-2.2.4., UK-2.2.5., UK-2.3.1., UK-2.3.2., UK-2.3.3., UK-11.3.1., UK-11.3.2., OPK-1.2.1., OPK-1.2.2., OPK-1.2.3., OPK-5.2.1., OPK-5.2.2., OPK-5.2.3., OPK-5.2.4., OPK-6.3.1. OPK-6.3.2., OPK-6.3.3., OPK-8.3.1., OPK-9.2.1., OPK-12.1.3., OPK-12.2.1., OPK-12.2.2., OPK-12.2.3., OPK-13.1.2., PC-1.1.3., PC-1.1.4., PC-1.2.1., PC-1.2.2., PC-2.1.1., PC-2.1.2., PC-2.1.3., PC-2.2.1., PC-2.2.2., PC-2.2.3., PC-2.3.1., PC-2.3.2., PC-2.3.3., PC-4.2.1., PC-4.2.2., PC-4.2.3., PC-4.3.1., PC-4.3.2., PC-4.3.3.
11.	Electromyography. Methodology and evaluation of research results.	UK-1.2.1., UK-1.2.2., UK-1.2.3., UK-1.3.1., UK-1.3.2., UK-2.2.1., UK-2.2.2., UK-2.2.3., UK-2.2.4., UK-2.2.5., UK-2.3.1., UK-2.3.2., UK-2.3.3., UK-11.3.1., UK-11.3.2., OPK-1.2.1., OPK-1.2.2., OPK-1.2.3., OPK-5.2.1., OPK-

		5.2.2., OPK-5.2.3., OPK-5.2.4., OPK-6.3.1. OPK-6.3.2., OPK-6.3.3., OPK-8.3.1., OPK-9.2.1., OPK-12.1.3., OPK-12.2.1., OPK-12.2.2., OPK-12.2.3., OPK-13.1.2., PC-1.1.3., PC-1.1.4., PC-1.2.1., PC-1.2.2., PC-2.1.1., PC-2.1.2., PC-2.1.3., PC-2.2.1., PC-2.2.2., PC-2.2.3., PC-2.3.1., PC-2.3.2., PC-2.3.3., PC-4.2.1., PC-4.2.2., PC-4.2.3., PC-4.3.1., PC-4.3.2., PC-4.3.3.
12.	Myotonometry. Methodology and evaluation of research results.	UK-1.2.1., UK-1.2.2., UK-1.2.3., UK-1.3.1., UK-1.3.2., UK-2.2.1., UK-2.2.2., UK-2.2.3., UK-2.2.4., UK-2.2.5., UK-2.3.1., UK-2.3.2., UK-2.3.3., UK-11.3.1., UK-11.3.2., OPK-1.2.1., OPK-1.2.2., OPK-1.2.3., OPK-5.2.1., OPK-5.2.2., OPK-5.2.3., OPK-5.2.4., OPK-6.3.1. OPK-6.3.2., OPK-6.3.3., OPK-8.3.1., OPK-9.2.1., OPK-12.1.3., OPK-12.2.1., OPK-12.2.2., OPK-12.2.3., OPK-13.1.2., PC-1.1.3., PC-1.1.4., PC-1.2.1., PC-1.2.2., PC-2.1.1., PC-2.1.2., PC-2.1.3., PC-2.2.1., PC-2.2.2., PC-2.2.3., PC-2.3.1., PC-2.3.2., PC-2.3.3., PC-4.2.1., PC-4.2.2., PC-4.2.3., PC-4.3.1., PC-4.3.2., PC-4.3.3.
13.	Methods for determining the central ratio of the jaws.	UK-1.2.1., UK-1.2.2., UK-1.2.3., UK-1.3.1., UK-1.3.2., UK-2.2.1., UK-2.2.2., UK-2.2.3., UK-2.2.4., UK-2.2.5., UK-2.3.1., UK-2.3.2., UK-2.3.3., UK-11.3.1., UK-11.3.2., OPK-1.2.1., OPK-1.2.2., OPK-1.2.3., OPK-5.2.1., OPK-5.2.2., OPK-5.2.3., OPK-5.2.4., OPK-6.3.1. OPK-6.3.2., OPK-6.3.3., OPK-8.3.1., OPK-9.2.1., OPK-12.1.3., OPK-12.2.1., OPK-12.2.2., OPK-12.2.3., OPK-13.1.2., PC-1.1.3., PC-1.1.4., PC-1.2.1., PC-1.2.2., PC-2.1.1., PC-2.1.2., PC-2.1.3., PC-2.2.1., PC-2.2.2., PC-2.2.3., PC-2.3.1., PC-2.3.2., PC-2.3.3., PC-4.2.1., PC-4.2.2., PC-4.2.3., PC-4.3.1., PC-4.3.2., PC-4.3.3.
14.	Indications and methods of deprogramming the masticatory muscles.	UK-1.2.1., UK-1.2.2., UK-1.2.3., UK-1.3.1., UK-1.3.2., UK-2.2.1., UK-2.2.2., UK-2.2.3., UK-2.2.4., UK-2.2.5., UK-2.3.1., UK-2.3.2., UK-2.3.3., UK-11.3.1., UK-11.3.2., OPK-1.2.1., OPK-1.2.2., OPK-1.2.3., OPK-5.2.1., OPK-5.2.2., OPK-5.2.3., OPK-5.2.4., OPK-6.3.1. OPK-6.3.2., OPK-6.3.3., OPK-8.3.1., OPK-9.2.1., OPK-12.1.3., OPK-12.2.1., OPK-12.2.3., OPK-13.1.2., PC-1.1.3., PC-1.1.4., PC-1.2.1., PC-1.2.2., PC-2.1.1., PC-2.1.2., PC-2.1.3., PC-2.2.1., PC-2.2.2., PC-2.2.3., PC-2.3.1., PC-2.3.2., PC-2.3.3., PC-4.2.1., PC-4.2.2., PC-4.2.3., PC-4.3.1., PC-4.3.2., PC-4.3.3.
15.	TENS diagnostics. Method of conducting. Contraindications.	UK-1.2.1., UK-1.2.2., UK-1.2.3., UK-1.3.1., UK-1.3.2., UK-2.2.1., UK-2.2.2., UK-2.2.3., UK-2.2.4., UK-2.2.5., UK-2.3.1., UK-2.3.2., UK-2.3.3., UK-11.3.1., UK-11.3.2., OPK-1.2.1., OPK-1.2.2., OPK-1.2.3., OPK-5.2.1., OPK-

		5.2.2., OPK-5.2.3., OPK-5.2.4., OPK-6.3.1. OPK-6.3.2., OPK-6.3.3., OPK-8.3.1., OPK-9.2.1., OPK-12.1.3., OPK-12.2.1., OPK-12.2.2., OPK-12.2.3., OPK-13.1.2., PC-1.1.3., PC-1.1.4., PC-1.2.1., PC-1.2.2., PC-2.1.1., PC-2.1.2., PC-2.1.3., PC-2.2.1., PC-2.2.2., PC-2.2.3., PC-2.3.1., PC-2.3.2., PC-2.3.3., PC-4.2.1., PC-4.2.2., PC-4.2.3., PC-4.3.1., PC-4.3.2., PC-4.3.3.
16.	Determination of swallowing function.	UK-1.2.1., UK-1.2.2., UK-1.2.3., UK-1.3.1., UK-1.3.2., UK-2.2.1., UK-2.2.2., UK-2.2.3., UK-2.2.4., UK-2.2.5., UK-2.3.1., UK-2.3.2., UK-2.3.3., UK-11.3.1., UK-11.3.2., OPK-1.2.1., OPK-1.2.2., OPK-1.2.3., OPK-5.2.1., OPK-5.2.2., OPK-5.2.3., OPK-5.2.4., OPK-6.3.1. OPK-6.3.2., OPK-6.3.3., OPK-8.3.1., OPK-9.2.1., OPK-12.1.3., OPK-12.2.1., OPK-12.2.2., OPK-12.2.3., OPK-13.1.2., PC-1.1.3., PC-1.1.4., PC-1.2.1., PC-1.2.2., PC-2.1.1., PC-2.1.2., PC-2.1.3., PC-2.2.1., PC-2.2.2., PC-2.2.3., PC-2.3.1., PC-2.3.2., PC-2.3.3., PC-4.2.1., PC-4.2.2., PC-4.2.3., PC-4.3.1., PC-4.3.2., PC-4.3.3.
17.	Determination of respiratory function.	UK-1.2.1., UK-1.2.2., UK-1.2.3., UK-1.3.1., UK-1.3.2., UK-2.2.1., UK-2.2.2., UK-2.2.3., UK-2.2.4., UK-2.2.5., UK-2.3.1., UK-2.3.2., UK-2.3.3., UK-11.3.1., UK-11.3.2., OPK-1.2.1., OPK-1.2.2., OPK-1.2.3., OPK-5.2.1., OPK-5.2.2., OPK-5.2.3., OPK-5.2.4., OPK-6.3.1. OPK-6.3.2., OPK-6.3.3., OPK-8.3.1., OPK-9.2.1., OPK-12.1.3., OPK-12.2.1., OPK-12.2.2., OPK-12.2.3., OPK-13.1.2., PC-1.1.3., PC-1.1.4., PC-1.2.1., PC-1.2.2., PC-2.1.1., PC-2.1.2., PC-2.1.3., PC-2.2.1., PC-2.2.2., PC-2.2.3., PC-2.3.1., PC-2.3.2., PC-2.3.3., PC-4.2.1., PC-4.2.2., PC-4.2.3., PC-4.3.1., PC-4.3.2., PC-4.3.3.
18.	Determination of chewing function.	UK-1.2.1., UK-1.2.2., UK-1.2.3., UK-1.3.1., UK-1.3.2., UK-2.2.1., UK-2.2.2., UK-2.2.3., UK-2.2.4., UK-2.2.5., UK-2.3.1., UK-2.3.2., UK-2.3.3., UK-11.3.1., UK-11.3.2., OPK-1.2.1., OPK-1.2.2., OPK-1.2.3., OPK-5.2.1., OPK-5.2.2., OPK-5.2.3., OPK-5.2.4., OPK-6.3.1. OPK-6.3.2., OPK-6.3.3., OPK-8.3.1., OPK-9.2.1., OPK-12.1.3., OPK-12.2.1., OPK-12.2.2., OPK-12.2.3., OPK-13.1.2., PC-1.1.3., PC-1.1.4., PC-1.2.1., PC-1.2.2., PC-2.1.1., PC-2.1.2., PC-2.1.3., PC-2.2.1., PC-2.2.2., PC-2.2.3., PC-2.3.1., PC-2.3.2., PC-2.3.3., PC-4.2.1., PC-4.2.2., PC-4.2.3., PC-4.3.1., PC-4.3.2., PC-4.3.3.
19.	Methods of diagnostics of occlusal relationship disorders.	UK-1.2.1., UK-1.2.2., UK-1.2.3., UK-1.3.1., UK-1.3.2., UK-2.2.1., UK-2.2.2., UK-2.2.3., UK-2.2.4., UK-2.2.5., UK-2.3.1., UK-2.3.2., UK-2.3.3., UK-11.3.1., UK-11.3.2., OPK-1.2.1., OPK-1.2.2., OPK-1.2.3., OPK-5.2.1., OPK-

		5.2.2., OPK-5.2.3., OPK-5.2.4., OPK-6.3.1. OPK-6.3.2., OPK-6.3.3., OPK-8.3.1., OPK-9.2.1., OPK-12.1.3., OPK-12.2.1., OPK-12.2.2., OPK-12.2.3., OPK-13.1.2., PC-1.1.3., PC-1.1.4., PC-1.2.1., PC-1.2.2., PC-2.1.1., PC-2.1.2., PC-2.1.3., PC-2.2.1., PC-2.2.2., PC-2.2.3., PC-2.3.1., PC-2.3.2., PC-2.3.3., PC-4.2.1., PC-4.2.2., PC-4.2.3., PC-4.3.1., PC-4.3.2., PC-4.3.3.
20.	TRG-indications for conducting. Type of TRG transcript analysis.	UK-1.2.1., UK-1.2.2., UK-1.2.3., UK-1.3.1., UK-1.3.2., UK-2.2.1., UK-2.2.2., UK-2.2.3., UK-2.2.4., UK-2.2.5., UK-2.3.1., UK-2.3.2., UK-2.3.3., UK-11.3.1., UK-11.3.2., OPK-1.2.1., OPK-1.2.2., OPK-1.2.3., OPK-5.2.1., OPK-5.2.2., OPK-5.2.3., OPK-5.2.4., OPK-6.3.1. OPK-6.3.2., OPK-6.3.3., OPK-8.3.1., OPK-9.2.1., OPK-12.1.3., OPK-12.2.1., OPK-12.2.2., OPK-12.2.3., OPK-13.1.2., PC-1.1.3., PC-1.1.4., PC-1.2.1., PC-1.2.2., PC-2.1.1., PC-2.1.2., PC-2.1.3., PC-2.2.1., PC-2.2.2., PC-2.2.3., PC-2.3.1., PC-2.3.2., PC-2.3.3., PC-4.2.1., PC-4.2.2., PC-4.2.3., PC-4.3.1., PC-4.3.2., PC-4.3.3.
21.	TRG in the side projection. Decoding by the Schwartz method.	UK-1.2.1., UK-1.2.2., UK-1.2.3., UK-1.3.1., UK-1.3.2., UK-2.2.1., UK-2.2.2., UK-2.2.3., UK-2.2.4., UK-2.2.5., UK-2.3.1., UK-2.3.2., UK-2.3.3., UK-11.3.1., UK-11.3.2., OPK-1.2.1., OPK-1.2.2., OPK-1.2.3., OPK-5.2.1., OPK-5.2.2., OPK-5.2.3., OPK-5.2.4., OPK-6.3.1. OPK-6.3.2., OPK-6.3.3., OPK-8.3.1., OPK-9.2.1., OPK-12.1.3., OPK-12.2.1., OPK-12.2.2., OPK-12.2.3., OPK-13.1.2., PC-1.1.3., PC-1.1.4., PC-1.2.1., PC-1.2.2., PC-2.1.1., PC-2.1.2., PC-2.1.3., PC-2.2.1., PC-2.2.2., PC-2.2.3., PC-2.3.1., PC-2.3.2., PC-2.3.3., PC-4.2.1., PC-4.2.2., PC-4.2.3., PC-4.3.1., PC-4.3.2., PC-4.3.3.
22.	TRG in direct projection. Indications for conducting.	UK-1.2.1., UK-1.2.2., UK-1.2.3., UK-1.3.1., UK-1.3.2., UK-2.2.1., UK-2.2.2., UK-2.2.3., UK-2.2.4., UK-2.2.5., UK-2.3.1., UK-2.3.2., UK-2.3.3., UK-11.3.1., UK-11.3.2., OPK-1.2.1., OPK-1.2.2., OPK-1.2.3., OPK-5.2.1., OPK-5.2.2., OPK-5.2.3., OPK-5.2.4., OPK-6.3.1. OPK-6.3.2., OPK-6.3.3., OPK-8.3.1., OPK-9.2.1., OPK-12.1.3., OPK-12.2.1., OPK-12.2.2., OPK-12.2.3., OPK-13.1.2., PC-1.1.3., PC-1.1.4., PC-1.2.1., PC-1.2.2., PC-2.1.1., PC-2.1.2., PC-2.1.3., PC-2.2.1., PC-2.2.2., PC-2.2.3., PC-2.3.1., PC-2.3.2., PC-2.3.3., PC-4.2.1., PC-4.2.2., PC-4.2.3., PC-4.3.1., PC-4.3.2., PC-4.3.3.
23.	Determination of the respiratory space on the TRG. Diagnostic value.	UK-1.2.1., UK-1.2.2., UK-1.2.3., UK-1.3.1., UK-1.3.2., UK-2.2.1., UK-2.2.2., UK-2.2.3., UK-2.2.4., UK-2.2.5., UK-2.3.1., UK-2.3.2., UK-2.3.3., UK-11.3.1., UK-11.3.2., OPK-1.2.1., OPK-1.2.2., OPK-1.2.3., OPK-5.2.1., OPK-

		5.2.2., OPK-5.2.3., OPK-5.2.4., OPK-6.3.1. OPK-6.3.2., OPK-6.3.3., OPK-8.3.1., OPK-9.2.1., OPK-12.1.3., OPK-12.2.1., OPK-12.2.2., OPK-12.2.3., OPK-13.1.2., PC-1.1.3., PC-1.1.4., PC-1.2.1., PC-1.2.2., PC-2.1.1., PC-2.1.2., PC-2.1.3., PC-2.2.1., PC-2.2.2., PC-2.2.3., PC-2.3.1., PC-2.3.2., PC-2.3.3., PC-4.2.1., PC-4.2.2., PC-4.2.3., PC-4.3.1., PC-4.3.2., PC-4.3.3.
24.	Computed tomography of the upper respiratory tract. Kinds. Diagnostic value.	UK-1.2.1., UK-1.2.2., UK-1.2.3., UK-1.3.1., UK-1.3.2., UK-2.2.1., UK-2.2.2., UK-2.2.3., UK-2.2.4., UK-2.2.5., UK-2.3.1., UK-2.3.2., UK-2.3.3., UK-11.3.1., UK-11.3.2., OPK-1.2.1., OPK-1.2.2., OPK-1.2.3., OPK-5.2.1., OPK-5.2.2., OPK-5.2.3., OPK-5.2.4., OPK-6.3.1. OPK-6.3.2., OPK-6.3.3., OPK-8.3.1., OPK-9.2.1., OPK-12.1.3., OPK-12.2.1., OPK-12.2.2., OPK-12.2.3., OPK-13.1.2., PC-1.1.3., PC-1.1.4., PC-1.2.1., PC-1.2.2., PC-2.1.1., PC-2.1.2., PC-2.1.3., PC-2.2.1., PC-2.2.2., PC-2.2.3., PC-2.3.1., PC-2.3.2., PC-2.3.3., PC-4.2.1., PC-4.2.2., PC-4.2.3., PC-4.3.1., PC-4.3.2., PC-4.3.3.
25.	Computed tomography of the TMJ. Diagnostic value.	UK-1.2.1., UK-1.2.2., UK-1.2.3., UK-1.3.1., UK-1.3.2., UK-2.2.1., UK-2.2.2., UK-2.2.3., UK-2.2.4., UK-2.2.5., UK-2.3.1., UK-2.3.2., UK-2.3.3., UK-11.3.1., UK-11.3.2., OPK-1.2.1., OPK-1.2.2., OPK-1.2.3., OPK-5.2.1., OPK-5.2.2., OPK-5.2.3., OPK-5.2.4., OPK-6.3.1. OPK-6.3.2., OPK-6.3.3., OPK-8.3.1., OPK-9.2.1., OPK-12.1.3., OPK-12.2.1., OPK-12.2.2., OPK-12.2.3., OPK-13.1.2., PC-1.1.3., PC-1.1.4., PC-1.2.1., PC-1.2.2., PC-2.1.1., PC-2.1.2., PC-2.1.3., PC-2.2.1., PC-2.2.2., PC-2.2.3., PC-2.3.1., PC-2.3.2., PC-2.3.3., PC-4.2.1., PC-4.2.2., PC-4.2.3., PC-4.3.1., PC-4.3.2., PC-4.3.3.
26.	3D cephalometry. Indications. Method of conducting.	UK-1.2.1., UK-1.2.2., UK-1.2.3., UK-1.3.1., UK-1.3.2., UK-2.2.1., UK-2.2.2., UK-2.2.3., UK-2.2.4., UK-2.2.5., UK-2.3.1., UK-2.3.2., UK-2.3.3., UK-11.3.1., UK-11.3.2., OPK-1.2.1., OPK-1.2.2., OPK-1.2.3., OPK-5.2.1., OPK-5.2.2., OPK-5.2.3., OPK-5.2.4., OPK-6.3.1. OPK-6.3.2., OPK-6.3.3., OPK-8.3.1., OPK-9.2.1., OPK-12.1.3., OPK-12.2.1., OPK-12.2.2., OPK-12.2.3., OPK-13.1.2., PC-1.1.3., PC-1.1.4., PC-1.2.1., PC-1.2.2., PC-2.1.1., PC-2.1.2., PC-2.1.3., PC-2.2.1., PC-2.2.2., PC-2.2.3., PC-2.3.1., PC-2.3.2., PC-2.3.3., PC-4.2.1., PC-4.2.2., PC-4.2.3., PC-4.3.1., PC-4.3.2., PC-4.3.3.
27.	Methods for determining ossification the skeleton. Diagnostic value.	UK-1.2.1., UK-1.2.2., UK-1.2.3., UK-1.3.1., UK-1.3.2., UK-2.2.1., UK-2.2.2., UK-2.2.3., UK-2.2.4., UK-2.2.5., UK-2.3.1., UK-2.3.2., UK-2.3.3., UK-11.3.1., UK-11.3.2., OPK-1.2.1., OPK-1.2.2., OPK-1.2.3., OPK-5.2.1., OPK-

		5.2.2., OPK-5.2.3., OPK-5.2.4., OPK-6.3.1. OPK-6.3.2., OPK-6.3.3., OPK-8.3.1., OPK-9.2.1., OPK-12.1.3., OPK-12.2.1., OPK-12.2.2., OPK-12.2.3., OPK-13.1.2., PC-1.1.3., PC-1.1.4., PC-1.2.1., PC-1.2.2., PC-2.1.1., PC-2.1.2., PC-2.1.3., PC-2.2.1., PC-2.2.2., PC-2.2.3., PC-2.3.1., PC-2.3.2., PC-2.3.3., PC-4.2.1., PC-4.2.2., PC-4.2.3., PC-4.3.1., PC-4.3.2., PC-4.3.3.
28.	Determination of the stage of maturation of the cervical vertebrae.	UK-1.2.1., UK-1.2.2., UK-1.2.3., UK-1.3.1., UK-1.3.2., UK-2.2.1., UK-2.2.2., UK-2.2.3., UK-2.2.4., UK-2.2.5., UK-2.3.1., UK-2.3.2., UK-2.3.3., UK-11.3.1., UK-11.3.2., OPK-1.2.1., OPK-1.2.2., OPK-1.2.3., OPK-5.2.1., OPK-5.2.2., OPK-5.2.3., OPK-5.2.4., OPK-6.3.1. OPK-6.3.2., OPK-6.3.3., OPK-8.3.1., OPK-9.2.1., OPK-12.1.3., OPK-12.2.1., OPK-12.2.2., OPK-12.2.3., OPK-13.1.2., PC-1.1.3., PC-1.1.4., PC-1.2.1., PC-1.2.2., PC-2.1.1., PC-2.1.2., PC-2.1.3., PC-2.2.1., PC-2.2.2., PC-2.2.3., PC-2.3.1., PC-2.3.2., PC-2.3.3., PC-4.2.1., PC-4.2.2., PC-4.2.3., PC-4.3.1., PC-4.3.2., PC-4.3.3.
29.	Interpretation of the TRG by Di-Paolo.	UK-1.2.1., UK-1.2.2., UK-1.2.3., UK-1.3.1., UK-1.3.2., UK-2.2.1., UK-2.2.2., UK-2.2.3., UK-2.2.4., UK-2.2.5., UK-2.3.1., UK-2.3.2., UK-2.3.3., UK-11.3.1., UK-11.3.2., OPK-1.2.1., OPK-1.2.2., OPK-1.2.3., OPK-5.2.1., OPK-5.2.2., OPK-5.2.3., OPK-5.2.4., OPK-6.3.1. OPK-6.3.2., OPK-6.3.3., OPK-8.3.1., OPK-9.2.1., OPK-12.1.3., OPK-12.2.1., OPK-12.2.2., OPK-12.2.3., OPK-13.1.2., PC-1.1.3., PC-1.1.4., PC-1.2.1., PC-1.2.2., PC-2.1.1., PC-2.1.2., PC-2.1.3., PC-2.2.1., PC-2.2.2., PC-2.2.3., PC-2.3.1., PC-2.3.2., PC-2.3.3., PC-4.2.1., PC-4.2.2., PC-4.2.3., PC-4.3.1., PC-4.3.2., PC-4.3.3.
30.	Registration of medical documentation of an orthodontic patient.	UK-1.2.1., UK-1.2.2., UK-1.2.3., UK-1.3.1., UK-1.3.2., UK-2.2.1., UK-2.2.2., UK-2.2.3., UK-2.2.4., UK-2.2.5., UK-2.3.1., UK-2.3.2., UK-2.3.3., UK-11.3.1., UK-11.3.2., OPK-1.2.1., OPK-1.2.2., OPK-1.2.3., OPK-5.2.1., OPK-5.2.2., OPK-5.2.3., OPK-5.2.4., OPK-6.3.1. OPK-6.3.2., OPK-6.3.3., OPK-8.3.1., OPK-9.2.1., OPK-12.1.3., OPK-12.2.1., OPK-12.2.2., OPK-12.2.3., OPK-13.1.2., PC-1.1.3., PC-1.1.4., PC-1.2.1., PC-1.2.2., PC-2.1.1., PC-2.1.2., PC-2.1.3., PC-2.2.1., PC-2.2.2., PC-2.2.3., PC-2.3.1., PC-2.3.2., PC-2.3.3., PC-4.2.1., PC-4.2.2., PC-4.2.3., PC-4.3.1., PC-4.3.2., PC-4.3.3.

Considered at the meeting of the Department of Pediatric Dentistry" 02 " June 2025,
Protocol No. 16.

Head of the Department

I. V. Fomenko